

Sexual Health Inventory For Men (SHIM)

Instructions

Each question has 5 possible responses. Circle the number that best describes your own situation. Select only 1 answer for each question.

Over the past 6 months:

1 2 3 4 5 Very low Low Moderate High Very high

2. When you had erections with sexual stimulation, how often were your erections hard enough for penetration (entering your partner)?

1 2 3 4 5
Almost never A few times Sometimes Most times Almost always or never (much less than half the time) the time) half the time) 5

3. During sexual intercourse, how often were you able to maintain your erection after you had penetrated (entered) your partner?

1 2 3 4 5
Almost never A few times Sometimes Most times Almost always or never (much less than half the time) the time) 4 5

Almost never (much more than or always half the time)

4. During sexual intercourse, how difficult was it to maintain your erection to completion of intercourse?

1 2 3 4 5
Extremely difficult Very difficult Difficult Slightly difficult Not difficult

5. When you attempted sexual intercourse, how often was it satisfactory for you?

1 2 3 4 5
Almost never A few times Sometimes Most times Almost always or never (much less than half the time) the time) 4 5

Almost never (much more than or always half the time)

Adapted with permission from: Rosen RC, Cappelleri JC, Smith MD, Lipsky J, Peña BM. Development and evaluation of an abridged, 5-item version of the International Index of Erectile Dysfunction (IIEF-5) as a diagnostic tool for erectile dysfunction. *Int J Impot Res.* 1999;11:319-326. http://www.nature.com.



Information for Clinicians

Scoring instructions

Add the numbers corresponding to the answers for questions 1 through 5. If the patient's score is 21 or less, erectile dysfunction (ED) should be addressed. The SHIM score characterizes the severity of the patient's ED in the following manner:

22-25 No ED
17-21 Mild ED
12-16 Mild-to-moderate ED
8-11 Moderate ED
5-7 Severe ED

Score:

Purpose of SHIM

- With the advent of oral therapies for ED, the need for accurate diagnosis is greater than ever.
- The SHIM Questionnaire (also known as the IIEF-5) is an abridged and slightly modified 5-item version of the 15-item International Index of Erectile Function (IIEF), designed for easy use, by clinicians, to diagnose the presence and severity of ED in clinical settings.
- This diagnostic tool may reduce the number of incorrectly diagnosed or underdiagnosed cases. It is intended to complement the physical examination and patient history as a means to detect ED.

Adapted with permission from: Rosen RC, Cappelleri JC, Smith MD, Lipsky J, Peña BM. Development and evaluation of an abridged, 5-item version of the International Index of Erectile Dysfunction (IIEF-5) as a diagnostic tool for erectile dysfunction. *Int J Impot Res.* 1999;11:319-326. http://www.nature.com.